ADD 11167 台北市士林區承德路4段220號2樓 TEL (02) 2883 7222 2F., No.220, Sec. 4, Chengde Rd., Shilin District, Taipei City 11167,

FAX (02) 2883 7145 **URL** www.upmostgroup.com

# **Advanced Computer Vision Solution**

#### **Computer Vision Suite AOI + AI Platform**



#### **UPMOST AOI AOI Software with High-Precision Image**



#### **UPMOST AISVISION**

Professional AI model training software with 5 different algorithms.











Computer Vision Suite is a no-code, scalable vision platform designed for fast deployment through simple parameter adjustments.

Its user-friendly and efficient architecture helps reduce false positives, overkill, and missed defects—eliminating the need for programming expertise.

- No-code & workflow-based operation: No programming required built on a process-driven architecture.
- Parameter-based & Quick setup: Configured by non-technical users through simple parameter adjustments.
- **Rapid development:** Significantly reduces both development and maintenance costs.
- **Scalability:** Built with a robust architecture for both hardware and technology expansion.
- Multi-Functional modules: Reusable modules significantly reduce the need for coding, testing, validation.


See it. Capture it. Inspect it.

### See it. Capture it. Inspect it.

No matter how small or fast an object is—if the camera captures it, Computer Vision Suite can detect and recognize it.



### Platform Architecture: UPMOST AOI + UPMOST AISVision




### Comparison - Traditional AOI vs. AI-Powered Inspection

√ Advantage

Function Category		AOI		Al	Application Examples
Dimension Measurement	1	High-speed / High-precision		Handles general dimensions	Abnormal hole size, component misalignment
Alignment Inspection	1	Line/edge/shape matching	1	Pattern structure recognition	Die-cut misalignment, double-layer printing error
Color Difference Check		Color thresholding; low accuracy	1	Color learning; high accuracy	Print color shift, uneven ink
Surface Defect Detection		Limited handling on glossy surfaces	1	Can detect dents / embossing/cracks	Metal scratches, foreign object dents
Damage Inspection	1	Edge comparison 🗸	1	Learns and reinforces damage patterns	Missing holes, broken pieces, fractures
Foreign Object Detection		Limited to shape anomalies	1	Diverse foreign object recognition	Oil stains, dust, splatter
Barcode / OCR		Barcode scanning, text matching	1	Can read blurred or stylized text	Wrong barcode, font error, missing characters
Texture Judgment		Not supported	1	Detects fabric texture / ink embossing	Mura, fabric embossing, dot patterns
Image Classification		No learning capability	1	Auto-learning and classification	Overall appearance anomaly detection
Complex Defect Detection		Easily misjudged, hard to rule-based	1	Learns irregular anomaly patterns	Irregular oil stains, cracks, uneven coating


### Technical Advantage

- **No-code & workflow-based operation:** No programming required built on a process-driven architecture.
- Parameter-based & Quick setup: Configured by non-technical users through simple parameter adjustments.
- Rapid development: Significantly reduces both development and maintenance costs.
- Scalability: Built with a robust architecture for both hardware and technology expansion.
- Multi-Functional modules: Reusable modules significantly reduce the need for coding, testing, validation.




### No-code & workflow-based operation

No programming skills required. The intuitive user interface is simple, easy to use, and quick to learn.




### Parameter-based & Quick setup

Easily configure measurement zones, positions, angles, and scale through a user-friendly parameter interface.



### Rapid development

Completed UPMOST AOI deployment in only 2 weeks.



**Workflow Setting** 

**Online Testing** 

### AOI Main Features — UPMOST AOI



Image scaling, rotation, and flipping.



Measurement of length, width, distance, etc.



Image alignment and correction, corrects camera angle issues.



Morphological processing techniques, including dilation, erosion, opening, and closing.




Adjusts brightness to achieve uniform and consistent illumination.



Object contour, area statistics, centroid, shape analysis, etc.

### Multiple Output Formats — UPMOST AOI

UPMOST AOI supports multiple output formats, enabling inspection results to be exported in formats like logs, reports, PLC, and I/O signals, ensuring seamless system integration.



### Scalability - UPMOST AOI


Built-in with a variety of functional modules — including AI, PLC, Data, and Image Preprocessing/Processing.

The system can be expanded based on future application needs, providing a smart and efficient vision inspection platform.



# 3 Operation Modes & Multi-Threaded Parallel Processing— UPMOST AOI

Users can create multiple inspection tasks for different features of the same product, executed in parallel to improve efficiency. Such as alignment check, scratch detection, and color verification.



### 6 Surfaces Captured | 12 Defect Types | 25 Inspection Tasks

Completed robot arm integration and laptop hinge inspection system development in about 2 and 3 months, respectively.

Item	Inspection surface					
	Α	C1	C2	В1	B2	В3
1.Bushing no mounting holes / threading			<b>√</b>			
2.Check Rib(Drilled holes, Corner defects)			<b>V</b>			
3.Shaft not aligned		<b>V</b>				V
4.Piece Count / Debris / Color Difference	<b>V</b>	<b>V</b>				
5.Laser marking missing/displacement		<b>V</b>				
5. Mount overpressure deformation		<b>V</b>				<b>V</b>
7.DTM-pressure mark				<b>V</b>		
8.Surface scratch / abrasion	<b>√</b>	<b>V</b>				<b>V</b>
9.Missing solder / burn marks	<b>V</b>	<b>V</b>				
10.Bushing misalignment		<b>V</b>				
11.Shaft indentation	<b>V</b>	<b>V</b>		<b>V</b>	<b>V</b>	<b>V</b>
12.Shaft indentation / embossing	<b>V</b>	<b>V</b>		<b>V</b>		1

### Extensive Tool List - UPMOST AOI

Category	Image Preprocessing	Image Processing	Measurement/Gauge	Inspection	Al	Data	Numeric	Logical
	ImageResizeTool	IPMaskRoiTool	IMGrayScaleTool	IPFloodFillTool	AISVisionTool	PointTool	CalculateTool	BooleanTool
	IPGetComponentTool	IPRoiMapTool	IMLineGaugeTool	IPMatrixCode2Tool	MLInspectionCriteriaTool	ConvertBooleanlToTextTool	NumberTool	ORTool
	IPMultiMaskTool	IPThinningTool	IMCheckFrom2LinesTool	IPMatrixCodeTool	MLDetectTool	ConvertDecimalToTextTool		IFNotTool
	IPRegisterTool	IPMultiImageEntryTool	IMEdgeSegmentDifferenceTool	ICBarcodeInspectTool	ImageClassifyTool	DrawTool		AndTool
	IPUniformizeTool	IPMultilmageTool	IMCircleGaugeTool	ICSilverPaintInspectTool	ImageSupervisedSegmentTool	OutputMessageTool		NotTool
	SavelmageTool	IPForEachRoiTool	IMEasyCalibrationTool	IPBarCodeTool	ImageUnsupervisedSegmentTool	ConvertImageToBase64Tool		IFTool
	IPOtsuThresholdTool	IPRoiTool	IMCalibrationBoardTool	IPOcrDetectTool	YoloTool	ExportDataTool		
	IPArithmeticLogicTool	IPBlobTool	IMPointGaugeTool	IPOcvinspectTool		LogicAndTool		
Functional	IPEqualizeTool	IPFindTool	IMDistanceFromPointPointTool					
Module	IPInvertTool	IPFixImageTool						
	IPThresholdTool	IPMatchTool						
	IPAdaptiveThresholdTool							
	IPCalibrateTool							
	IPConvolutionTool							
	IPRotateTool							
	IPColor2GrayTool							
	IPMorphologyTool							
	IPGainOffsetTool							Ú

Category	Comparison	Validation	Activities	Graphic	Network	PLC	Other
	EqualNumberTool	DecimalValidateTool	CallTemplateTool	LineTool	DataTransTcplpServerTool	KeyencePLCTool	ResultReporterTool
	BiggerNumberTool	StringCompareTool	WarningSoundTool		ModbusSlaveTool	ModBusTCPConnectTool	GroupTool
		1,000	CounterTool			MPLCTool	*
Functional Module			ExternalTool			MPLC_IPConnectTool	
Modute			DelayTool			PLCWriteTool	
			DOTool			PLCReadTool	
			IFDOTool				

### Al Main Features — AlSVision



Actively detects positional deviation, unaffected by shifting locations.



Capable of accurately detecting fine scratches and minor contamination.



Flexible detection for complex and variable shapes.



Detects abnormal textures on reflective materials.



Al ignores noise and focuses on defect areas.



Automatic product type recognition.

## 5 - AI Algorithms — UPMOST AISVision

Offers five different algorithms. allowing users to select the most suitable one based on industry and applxication needs.

Algorithm	Application Scenarios	Illustration or Diagram		
Oriented Object Detection	Suitable for scenarios with multi-angle object arrangement     Addresses the issue of difficulty in aligning defect markings with objects of various angles	OK		
Segmentation &	Applicable for precise defect detection where defect areas constitute a small proportion of the overall image	OK NG		
Object detection	<ul> <li>Suitable for images with well-defined object boundaries</li> <li>Delivers high-accuracy defect recognition</li> </ul>	OK NG		
Classification	Applicable for scenarios with clear image feature regions that are not too small relative to the entire image	OK NG		
Anomaly Detection	<ul> <li>Suitable for situations with limited defective product and defect sample data</li> <li>Simple detection for distinguishing between good and defective products</li> <li>Capable of handling detection requirements for unknown defects</li> </ul>	OK NG		

## 4 - Step Process to Complete Model Training and Validation

An Intuitive, Rapid, and Streamlined Workflow for Project Model Development



### **Diverse Application Use Cases**

Computer Vision Suite supports a wide range of industries —from semiconductor packaging and solder joint inspection to missing part detection and print defect analysis —all in one unified platform.



Semiconductor Industry Wafer Packaging Inspection




Manufacturing Industry Soldering Point Inspection



Traditional Industry Missing parts



Production Line Quality Control



Steel Industry Scratch Detection



Medical Industry Drug Quality Control



Optical Industry Lens Scratch Detection



Cultural Creative Industry Print Flaw Recognition

ndustry Category	Defect Type	Core Technology	Key Functional Combination	
PCB/SMT	Insufficient solder / Solder bridging / Cold solder joint	AOI	Contour tracking + Steel texture modeling + AI defect matching	
Consumer Products	Surface scratches / Damage / Assembly misalignment / Missing parts	AOI	Surface defect detection + Alignment matching + Texture analysis	
Automotive Components	Insufficient solder paste / Wrong soldering / Missing parts / Cracks	AOI	Alignment measurement + Defect matching + Edge recognition	
Printing Ink color deviation / Uneven ink layer		AI	Color learning + Image classification	
Display Transparent material foreign objects (bubbles, stains)		AI	Background variation learning + Detail magnification recognition	
Food Packaging Barcode misprint / Scan failure		AI	Blur recognition + Character recognition	
Steel Inspection Surface oxidation / Indentation / Cold cracks		AOI + AI	Contour tracking + Steel texture modeling + AI defect matching	
PCB/SMT Broken lines / Pin offset		AOI + AI	Line detection + Object classification	
Textile	Frayed edges / Tears	AOI + AI	Edge analysis + Defect learning	